



Tigermeeting Admin

User Manual

Version 3.3.3

Contents

Contents	2
Network configuration	4
Installation	5
Installing Tigermeeting admin on Windows	5
Instructional video:	8
Installing Tigermeeting admin on Linux	9
RPM	9
DEB	9
ApplImage	9
Installing Tigermeeting admin application on MacOS	10
Instructional video:	11
Login	12
User registration	13
Menu structure	14
Network	15
Booking device properties: Before room attachment	18
Booking device properties: After room attachment	19
Basic properties	19
Booking properties	21
Advanced properties	24
Overview screen properties	25
General properties	25
Room properties	27
Download android APKs from the Tigermeeting admin app	28
Settings	29
Licenses tab	29

Calendars tab.....	31
Rooms tab	34
Admin users tab	37
Analytics tab.....	39
Analytics	41
Admin logs	43
Wizard	44
Overview.....	44
Licenses	45
Calendars	46
Rooms.....	47
Practical use cases.....	48
Install the admin application.....	48
Turn on the devices.....	48
Start the admin application	48
Run wizard in admin application.....	48
Configuring Microsoft365 calendar	49
Microsoft365 admin panel	49
Configuration through Windows PowerShell	51
Configuration by using the Microsoft 365 setup helper script	52
Running the script	54
Manual configuration	56
Instructional video:	57
Tigermeeting admin application	58
Configuring Exchange calendar	59
Exchange admin panel	59
Configuration through Exchange Management Shell	61
Configuration with the script	61

Runningthescript	62
Manual configuration	64
Tigermeeting admin application	66
Configuring iCalendar calendar.....	68
Theme configuration	71
Contact information.....	72
Social media	72

Network configuration

Tigermeeting application is based on a distributed database architecture and unique, high watermark synchronization technology that works without an external central database but requires flowless communication between the devices on the local network.

Network requirements:

- ☐ Broadcast requests need to be enabled on and across the network segments (desired even over VPN if remote administration is used)
- ☐ UDP ports: **6024, 6025, 6030** and **6031** need to be enabled on the network.
- ☐ The admin->device, device->device, device->admin communication requires the **80** and **8080** ports to be enabled on the network.
- ☐ If an external online calendar is used, like Google Workspace, Microsoft 365 or external URL for iCal files - communication towards those resources need to be allowed through the firewall.
- ☐ Flowless communication towards the **tigermeeting.app** host via port **443** is required for admin login and the devices licence validations.


Installation

The Tigermeeting Admin Application is a multiplatform, web-based management application that configures, updates, and manages the whole Tigermeeting infrastructure in an easy, intuitive, efficient and secure way. Installers are available for Windows, MacOS and Linux platforms.

Installing Tigermeeting admin on Windows



Follow the installation steps:

- ☐ Go to the Tigermeeting website: <https://tigermeeting.app/en/downloads>
- ☐ Download the Tigermeeting admin application.
- 1** Run the installer as administrator.




- 2** Tigermeeting Admin is a signed application – but in case it is denied, please allow installation of the unrecognized application.








3 Continue the installation for the selected user or users and press the "Next" button.




- 4 Select the desired install location and press the "Install" button.





- 5 If the "Run Tigermeetingroom" is checked, after the install the Tigermeeting Admin application is opened. Finish the installation wizard. Allow the Tigermeeting admin application to make changes on the)



- 7 Allow the virus scan to finish or abort the scan.



NOTE: Tigermeeting is a signed application with a validated certificate. Please accept certificates from both Tigermeeting AB and Zoda Software AB (initial organization name)



Please read and accept the License Agreement before use.

Instructional video:

<https://www.youtube.com/watch?v=sB8ea-VrYz8>

Installing Tigermeeting admin on Linux

Tigermeeting Admin Application installer is available in three formats for Linux operating systems:

- RPM - Redhat Package Manager
- DEB – Debian software package
- AppImage - portable software package for Linux that contains the application and everything it needs to run on different Linux distributions.

RPM

Open a terminal and navigate to the location of the .rpm file.

Execute the following command with superuser permissions:

```
sudo rpm -ivh filename.rpm
```

DEB

Open a terminal and navigate to the location of the .deb file.

Execute the following command with superuser permissions:

```
sudo dpkg -i package_file.deb
```

AppImage

Open a terminal and navigate to the location of the AppImage file.

Make the file executable with the `chmod +x filename` command.

Execute the executable with the `./filename` command.



NOTE: Tigermeeting Admin App is a graphical application. The installation can be done from the terminal, but for the execution it requires a functional X windows environment.

Installing Tigermeeting admin application on MacOS


Follow the installation steps:

Go to the Tigermeeting web site <https://tigermeeting.app/en/downloads>
Download the Tigermeeting admin application.

- 1 Run installer and after the verification drag and drop "Tigermeetingroom" to "Applications".




- 2 Run the Tigermeeting admin application. Change security settings if needed in some rare cases (the application is signed by Tigermeeting AB – verified Apple developer)



NOTE: Installer splash images may change between the releases. Please drag Tiger to the Applications folder to install the Admin App. It is recommended to overwrite the application if it already exists (upgrade case).



Please, accept the term of use before the installation.




Instructional video:

<https://www.youtube.com/watch?v=MvmDbgB7dnk>

Login

Only registered users can use the Tigermeeting admin application. The user can login with the correct email address and password.



The login form has three main components:

- 1 Logo: When clicked on logo, browser is opened and redirected to "https://tigermeeting.app/"
 - 2 Login and register: Switch between the user login and registration
 - 3 functions. Email and password: Only registered users can use the
 - 4 Tigermeeting admin application.
- ☐ Log in to the system: The user can proceed with a valid username and password.

User registration


Tigermeeting admin registration can be done with the shared "Company code". This substitutes the admin user creation functionality by another, existing admin user.

The screenshot shows the Tigermeeting admin registration interface. At the top right, there are two buttons: 'REGISTER' (with a plus icon) and 'LOGIN' (with a fingerprint icon), labeled with a red circle 1. Below these is a 'Register' modal form. The form contains five input fields: 'First Name...', 'Last Name...', 'Email...', 'Company code...', and 'Password...'. The 'Password...' field is followed by a 'Repeat password...' field. These fields are grouped by a red dashed line and labeled with a red circle 2. At the bottom of the form is a 'REGISTER' button, labeled with a red circle 3.

The registration form has three main components:

- 1 Login and register: Switch between the user login and registration functions.
- 2 User parameters: Every field is mandatory and must be filled out to finish the registration.
 Company code: The company code determines the number of licenses, that can be distributed between the devices. The company code will be sent by email. Password: The user's password must contain a minimum of 8 characters.
- 3 Register: When all the fields are filled with valid data, the registration can be finished.

Menu structure




The main functions of the admin application are sorted under 3 main categories:

- 1 Logo: When clicked on logo, browser is opened and redirected to "https://tigermeeting.app/"
- 2 Network: Devices status can be monitored, and the parameters modified.
- 3 Settings: License, calendar attachment, detachment, room management, and admin user settings can be modified.
- 4 Analytics: Device analytics can be loaded for booking devices, overview devices, admin, and company.
- 5 Admin logs: User events are recorded and displayed, like login, logout, device synchronization etc.
- 6 Wizard: The user is guided by a step-by-step wizard, that helps the user to configure the devices. (it is used mainly when the admin application is used first time)
- 7 About: Information about the Tigermeeting admin application, privacy policy, terms of service, cookie policy, open-source licenses.

Network

In the network panel, the devices' state can be monitored, room and license attachment, detachment and other important parameters can be edited. The network is constantly scanned for devices.



Network features:

1 User settings:

- ☐ Current user: Currently logged in user's email address.
- ☐ User settings: Opens current logged in users' data to edit. (redirected to: Settings, admin users, edit user)
- ☐ Logout: End session, and logout from the Tigermeeting admin application. The user will be logged out automatically after 5 minutes of inactivity.


2 System settings:

- ☐ Version number: Current version of the Tigermeeting admin application.
- ☐ Set device logo: Logo can be uploaded to the Tigermeeting admin application, after the synchronization, the uploaded logo (120x60px) is used on the connected devices. (up left corner on the android application)
- ☐ Download admin log: Export the Tigermeeting admin application's log. Used for error tracking.

- ☐ Reset network: Reset the admin application and all connected devices to the default settings. Calendar, rooms, room lists are detached device settings returned to default. (booking devices, overview devices, admin application)
- ☐ Backup network: Backup booking,

overview devices (attached rooms, device settings, etc.) and Tigermeeting admin application settings (online calendar, rooms, etc.). There are two options to backup network settings:

- 1 Save backup online.
- 2 Save backup to a file.
- 2 Restore network: Restore backed up settings for booking and overview devices (attached rooms, device settings, etc.), also for the Tigermeeting admin application (online calendar, rooms, etc.).
 - 3 Restore from online backup.
 - 4 Restore from a saved backup file.



- 3 Download android app: Download the Tigermeeting android application's APK file (4+ or 5+ Android booking or overview device) or office and exchange setup scripts to the desired destination. Also new admin updates can be downloaded here.
- 4 Fire alarm: To activate the fire alarm press and hold the "Activate" button (for 3 sec.). After the activation (synchronization) all devices (booking and overview screen) flash and play fire alarm sound.



- 5 Add device: Add device with IP address not discovered by the Tigermeeting admin application. It is used when a device is in another subnetwork.
- 6 Synchronize changes: When a device's properties are changed (room, license attached or detached, parameter changed (capacity, room info, open time, etc.)) it must be synchronized to all the devices to take its effect. When all devices are disconnected, synchronization is not allowed.
- 7 Update devices: Update all connected devices software version.
- 8

Device filter:


- ☐ All: All devices are listed without filtering.
- ☐ Free devices: Devices without rooms are listed.
- ☐ Connected: Devices with status of 'connected' are listed.
- ☐ Disconnected: Devices with status of 'disconnected' are listed.
- 9** Number of devices: The number of devices displayed per page.
- 10** Discovered devices: All devices are displayed when they are detected on the network. The network is scanned every 30 seconds.
 - ☐ The number (4) indicates the version of the android operating system.
- 11** Total number of devices: Total number of devices filtered by device filter. (all, free, connected, disconnected)
- 12** Update software: Update selected device's software version.
- 13** Update selected device's firmware: Update device's firmware. It takes several minutes, when updating the firmware do not turn off the device.
- 14** Actions:
 - ☐ Device properties: Edit the selected device's properties.
 - ☐ Restart device: Reboot the selected device.
 - ☐ Download log: Export devices log into a .json file. Only visible when a device is connected. Used for error tracking.
 - ☐ View screenshot: A screenshot is taken from the device.
 - ☐ Remove device: Remove disconnected device from the admin application. Only visible when a device is disconnected.

NOTE: "Add device" feature is needed in all those cases when the broadcast is not allowed through the firewall or between the network segments that cause network discovery failure.

The remote admin user operation is one of the typical cases when the administrative tasks are performed over the VPN connection, remotely, and the discovery of the devices usually fails - with standard VPN settings.

The solution is to use the "Add device" feature with a known device's IP address aiding the network discovery. Accessing one device by IP address allows access to the shared network database that will discover all the devices allowing full remote management of the Tigermeeting infrastructure.

Booking device properties: Before room attachment




Device properties:

- 1** Device's room: Name of the currently attached room.
- 2** Booking device info: The selected device's IP and MAC address is displayed.
- 3** License status: Type of the license attached to the selected device. (no license or licensed (only booking screen license can be attached))
- 4** Detach license: Detach the current license. After the detachment the selected device is returned to 'no license'. Detached license can be attached again.
- 5** Device status: Status of the selected device. (connected or disconnected)
- 6** Software version: The selected device's current version is displayed.
- 7** Firmware version: The selected device's current firmware version is displayed.
- 8** Create new room: When a device has no license, rooms cannot be attached to the selected device. When the new room's name is added after the attachment, () the rooms is created and attached to the selected device.
- 9** Attachable rooms list: If there are rooms created previously it can be selected (from the list) and attached to the selected device.
- 10** Close: Cancel action, all parameters are reset to the previous state.
- 11** Attach room: Attach the room to the selected device.

Booking device properties: After room attachment

A device's properties can be divided into basic, booking, and advanced properties.

Basic properties




Basic properties:

- 1 Device's room: Name of the currently attached room.
 - ☐ Original room name is displayed, when there is no room alias added under "Settings" menu, "Rooms" tab, edit room properties, "display name". When an alias is added, it is displayed instead of the original name.
- 2 Edit attached room's name: Attached room's name can be edited. When the settings are saved the name is changed. The room's name can be edited only when local or Google calendar is attached. The name of the imported

rooms cannot be edited in the Tigermeeting admin application, (Microsoft365, Exchange, Google Workspace) only in the online calendar's admin panel.

- 3 Device info: The selected device's IP and MAC address is displayed.
- 4 License status: Type of the license currently attached to the selected device. (no license or licensed (only booking screen license can be attached))
- 5 Detach license: Detach the current license. After the detachment the selected device is returned to 'no license'. Detached license can be attached
- 6 again.
- 7 Device status: Status of the selected device. (connected or
- 8 disconnected) Software version: The selected device's current
- 9 version is displayed.
- Firmware version: The selected device's current firmware version is displayed.
- Detach room: Detach the currently attached room from the selected device. When a room is detached, after the synchronization the default 'conference room' is used.
- 10 Basic, booking, and advanced properties: When selected, the basic, booking and advanced parameters are displayed.
- 11 Basic parameters:
 - ☐ Clock display: Change device's clock display. (24h or 12h format).
 - ☐ Device language: Text on device will be displayed on the selected language. The default language is English.
 - ☐ Calendar service: It can be local or the attached online calendar. When an online calendar is attached, the device can only use online rooms. When there is no online calendar attached only local rooms can be used.
 - ☐ Capacity: Capacity of the attached room.
 - ☐ Room info: Room info is displayed on the device under "Available rooms". More info under "Settings, Rooms tab".
 - ☐ Display name: Alias is used, and it is displayed as room's name. When it is not added the room's original name is used instead.
- 12 Open time:
 - ☐ Day: Device will take reservations for the selected
 - ☐ days. Time: Device will take reservation between the set time.
- 13 Setting distribution:
 - ☐ Set for all devices: The checked parameters will be saved for all devices.
- 14 Close: Cancel action, all parameters are reset to the previous
- 15 state. Save settings: Save the device's parameters and close the dialog.

Booking properties




Booking properties:

- 1** Enable booking from device: Public space mode. When it is turned on meetings can be booked from a device. Otherwise booking is not possible on the device. (only from online calendar if it is attached)
- 2** Booking mode: Three booking modes are available.
- 3** Time picker duration step: Default duration for a meeting reservation. The time picker will be calibrated with the set value. (It can be 5, 10, 15 minutes)
- 4** Enable meeting cancel: When it is enabled, "cancel" button is displayed when a meeting is upcoming, when disabled "cancel" button is not displayed.
- 5** Enable meeting confirmation: Before the start of the meeting, confirmation is displayed for the upcoming meeting. When a meeting is confirmed, it will be approved. When it is canceled the upcoming meeting is removed. When it is turned off the confirmation button is not displayed, meeting is confirmed after time set.
(Time to confirm meeting before and after start ()).
- 6** Time to confirm meeting before and after start: When will be the confirm controls displayed, before and after the meeting start time.

- by point
- 7 Automatic confirmation after time: When the confirm meeting time is up (defined by point 6) upcoming meeting is confirmed or current meeting is confirmed automatically. When "Enable meeting confirmation" is turned off this option is not displayed.

On an android device:



- 5 Confirm meeting on device when an online calendar is attached:
- ☐ When a meeting has been confirmed and it has not begun:
 - ☐ Meeting can be canceled, and the meeting is removed from the attached room's calendar.
 - ☐ When a meeting has been confirmed and it has begun:
 - ☐ Meeting can be canceled, and the meeting is not removed from the attached calendar's room, only the meeting end time is changed to the time when the meeting is canceled.

2 Booking mode on device:

- 1 From this moment: Meeting can be reserved from the current time, only on current day.

12.10.2019

13:20	13:30	13:40	13:50	14:00	14:10	14:20	14:30	14:40	14:50
15:00	15:10	15:20	15:30	15:40	15:50	16:00	16:10	16:20	16:30
16:40	16:50	17:00	17:10	17:20	17:30	17:40	17:50	18:00	18:10

- 2 Any time today: Meeting can be reserved any time on the current day.

12.10.2019


13:20	13:30	13:40	13:50	14:00	14:10	14:20	14:30	14:40	14:50
15:00	15:10	15:20	15:30	15:40	15:50	16:00	16:10	16:20	16:30
16:40	16:50	17:00	17:10	17:20	17:30	17:40	17:50	18:00	18:10

- 3 Anytime: Meeting can be reserved any time, any day in the future.


< 12.10.2019 >

13:20	13:30	13:40	13:50	14:00	14:10	14:20	14:30	14:40	14:50
15:00	15:10	15:20	15:30	15:40	15:50	16:00	16:10	16:20	16:30
16:40	16:50	17:00	17:10	17:20	17:30	17:40	17:50	18:00	18:10

- 4 Booking type is displayed on the bottom of the time picker.
- 5 Cancel: Cancel and return to main screen.
- 6 Book now: Confirm the meeting to the selected room.




Advanced properties



Advanced properties:


- 1 Device time zone: Selected device's time will be configured to the selected time zone, as well the meetings reserved on the device.
- 2 Display meeting title: If it is turned on, meeting title is displayed (if title is not added then it is replaced with text "Room busy"), when turned off meeting title is replaced with text "Room busy".
- 3 Display upcoming meeting: Time before the meeting is displayed as upcoming. (for example, it is set to 20 minutes, and a meeting begins in 14:00, it will be displayed as upcoming at 13:40)
- 4 Enable video player: When enabled, additional video settings are available to set. (When a meeting is displayed as upcoming video playback is paused)
 - 5 Video player timeout: Video is played on the device after the set timeout.
 - 6 Video URL: Link to the video.
 - 7 Video requirements: File type: MP4, maximum size: 200MB, resolution: 720p
 - 8 Test video: When the button is pressed the video is displayed in the admin application in a popup window, it is for testing purposes.

On android device:



Overview screen properties


General properties




General properties:

- 1 Overview screen device info: The selected device's IP and MAC address is displayed.
- 2 License status: Type of the license currently attached to the selected device. (no license or licensed (only overview screen license can be attached))
- 3 Detach license: Detach the current license. After the detachment the selected device is returned to 'no license'. Detached license can be attached again.
- 4 Device status: Status of the selected device. (connected or disconnected)
- 5 Software version: The selected device's current version is displayed.
- 6 Firmware version: The selected device's current firmware version is displayed.
- 7 General and rooms settings: When selected, the general or rooms parameters are displayed.
- 8 General parameters:
 - 1 Timeline duration: Timeline can be displayed in 4- or 8-hour sections. (For example, if it is set to 4-hour, timeline will be displayed from 09:00-13:00)
 - 2 Greeting text: Greeting text on the top of the timeline.
 - ☐ Device language: Text on device will be displayed in the selected language. The default language is English.
 - ☐ Clock display: Change device's clock display. (24h or 12h format).
 - ☐ Calendar service: It can be local or the attached online calendar. When an online calendar is attached, under "rooms" settings (). When there is no online calendar attached, only local rooms can be used.
 - ☐ Device time zone: Overview screen device's time will be configured to the selected time zone, as well the meeting reservations.
 - ☐ Display meeting title: If it is turned on, meeting title is displayed (if title is not added then it is replaced with text "Room busy"), when turned off meeting title is replaced with text "Room busy".
- 9 Setting distribution:
 - ☐ Set for all devices: The checked parameters will be saved for all devices.
- 10 Close: Cancel action, all parameters are reset to the previous state.
- 11 Save settings: Save the device's parameters and close the dialog.

On the overview screen:




Room properties



Room properties:

- 1 Room list: Rooms are listed that are attached to the overview screen device.
- 2 Remove room: Selected room is removed from the room list.
- 3 Location info: Info icon (↗, ↘, ←, →) (upstairs, downstairs, left, right) about the device location.
- 4 Room: Previously created rooms (local or attached online calendar) can be attached to the room list.
- 5 Add room: Add new room to the list.

On an overview screen:



- 6 A meeting list is displayed. When "display meeting title" is turned on meeting title is displayed, when it is turned off "Room busy" is displayed as meeting title.

Download android APKs from the Tigermeeting admin app

Tigermeeting Android APKs are compatible with most tablets, phones and TV devices from Android 4.1 and higher both for the booking screens and the overview screens.

Two APKs are available for download from the Admin app:


- ☐ APK that supports devices from Android 4.1 to 14 (4+)
- ☐ APK that supports devices from Android 5.0 to 14 (5+)
- ☐ The Google drive release is identical to Android 5+ version APK

<https://play.google.com/store/apps/details?id=rs.manufaktura.tiger>



Settings

The settings are divided into four sections:




- 1 Licenses tab: Licenses can be assigned to devices.
- 2 Calendars tab: Online calendars can be attached or detached.
- 3 Rooms tab: Rooms can be created, removed, or edited.
- 4 Admin users tab: Registered users are displayed.
- 5 Analytics: The collected data will be used to present valuable information about the usage of the meeting rooms. On explicit request, all accumulated event logs can be requested or permanently deleted - complying with the GDPR, CCPA, LGPD and POPI regulations.

Licenses tab


Licenses can be managed in this section. The company code contains a defined number of licenses. These licenses can be distributed among the devices. One device can only have one license. A license defines a set of functions:

- ☐ No license: Devices with no license can use only the local calendar and cannot reserve meetings in other rooms – this is a DEMO mode.
- ☐ Booking screen license: License can only be attached to the booking devices. The device can be used by any online calendar and can reserve meetings in other rooms if configured so.
- ☐ Overview screen license: License can only be attached to the overview devices. The device can use any online calendar.



Licenses tab:

- 1 License type: Type of the license that can be distributed among the devices. (Booking screen licenses can be attached only to booking devices, overview screen licenses can be attached only to overview screening devices.
- 2 Owner: Owner of the licenses.
- 3 Copies: Currently used licenses and total number of licenses.
 - ☐ First number: Number of licenses currently in use.
 - ☐ Second number: Total number of licenses.
- 4 Distribute license: Distribute licenses to the selected device or devices.
 - ☐ All used up: When all licenses are distributed.
- 5 Synchronize changes: When the licenses are distributed, it must be synced with the devices. When all devices are disconnected, synchronization is not allowed.




- 4 License distribution:
 - 1 Device selection: Selected devices for license
 - 2 distribution. Activate: Activate license for the selected
 - 3 devices.

Close: Cancel and close distribution.

Calendars tab

Only one calendar can be attached at a time:

- 1 Microsoft365 calendar: Provide a Microsoft enterprise account to synchronize meetings with. Room resources will be imported to the Tigermeeting system. Creating and modifying room resources will be possible only through Microsoft admin pages.
- 2 Exchange calendar: Synchronize meetings with Microsoft Exchange Server. Room resources will be imported to the Tigermeeting system.
- 3 Google calendar: Setup the system using a Google account to synchronize meetings with. For each room created in this application, a corresponding calendar with the same name is created.
- 4 Google Workspace calendar: Provide a Google admin account to synchronize meetings with. Room resources will be imported to the Tigermeeting system. Create and modify room resources through the Google admin pages.



Beside the online calendars Tigermeeting has support for iCalendar and Local Calendar.

iCalendar: expose via a web server (http or https protocols) a pre generated iCal file in a format that complies to the RFC 5545 specification, and it is not larger than 10Mb.

These files will be treated as a room resource as long as they are available. Replacing the files is allowed as long as the URLs do not change.

Local Calendar: is the default configuration when no other calendar is set. The booking devices synchronize meetings only between each other by booking on the screen – this is mainly for DEMO purposes. Please use other calendars in production. (Google Calendar with a personal account would be the simplest)

The diagram illustrates the user interface for integrating various calendar services. It shows four distinct forms arranged horizontally, each with its respective logo above it: Office 365, Exchange, Google Calendar, and G Suite. A red dashed rectangle encloses all four forms. A red line with a circle containing the number 5 points to the first form (Office 365), and another red line with a circle containing the number 6 points to the second form (Exchange).


Office 365	Exchange	Google Calendar	G Suite
Username <small>Enter username</small>	Username <small>Enter username</small>	Authorization code <small>Enter code here</small>	Authorization code <small>Enter code here</small>
Password <small>Enter password</small>	Password <small>Enter password</small>		
	Host <small>Enter host url</small>		
	Server version <small>Exchange 2016</small>		
CANCEL SUBMIT	CANCEL SUBMIT	CANCEL SUBMIT	CANCEL SUBMIT

When a calendar is selected for attachment:

- 5 User parameters:
 - ☐ Microsoft365 parameters: Username and password must be added, after the room list is selected (for more information about room lists read section "Configuring Microsoft365 calendar") the attachment process can be finished.
 - ☐ Exchange parameters: username, password, exchange server URL and server version must be added, after the room list is selected (for more information about room lists read section "Configuring Exchange calendar") the attachment process can be finished.
 - ☐ Google and Google Workspace parameters: After registering the calendar account the attachment process can be finished.
- 6 Confirm controls:
 - ☐ Cancel: Cancel the attachment
 - ☐ process. Submit: Finish the attachment process.

After calendar attachment:


- 7 Calendar type: Type of the attached calendar.
- 8 Email: Email address of the attached calendars user.
- 9 Synchronize changes: After the attachment, the changes must be synchronized with the devices. When all devices are disconnected, synchronization is not allowed.
- 10 Reimport rooms: Rooms and their parameters can be reimported to the Tigermeeting admin application. It is used when rooms are created, removed or its parameters changed (floor, capacity) via calendar's admin interface. It is available when Microsoft365, Exchange or Google Workspace calendars are attached.
- 11 Workspace calendars are attached.
 - ☐ Reset account: Detached the selected online calendar. After the detachment the changes will be synchronized automatically.



Link to the instructional video how to attach Google Workspace calendar to the Tigermeeting admin application: <https://www.youtube.com/watch?v=j1cN9OaIDwU>

Rooms tab

Rooms can be created, removed, and their properties can be edited. Only one room can be attached to a device at a time.



Rooms tab:

- 1 Add new room: Create a new room. New rooms can be created when no calendar or Google calendar is attached to the Tigermeeting admin application.
- 2 Synchronize changes: After a room is created or its properties changed, the changes must be synchronized with the devices. When all devices are disconnected, synchronization is not allowed.
- 3 Number of rooms: The number of rooms displayed per page.
- 4 List of rooms: List of created or synchronized online calendar rooms.
- 5 Total number of devices: Total number of devices filtered by device filter. (all, free, connected, disconnected)
- 6 Paging: If there are more rooms, they are displayed on other pages.
- 7 Actions:
 - ☐ Remove room: Remove the selected room from the admin application. Rooms cannot be removed when Microsoft365, Exchange or Google Workspace calendar is attached. Only local and Google rooms can be removed.
 - ☐ Edit room: Edit room properties.

Creating rooms if there is no online calendar attached:

- ☐ If there is no online calendar attached (local calendar is used), rooms can be created, removed, and edited without restrictions.

Creating rooms if Google calendar is attached:

- ☐ When a room is created, it is checked if the room already exists on Google calendar. If it exists, it is synchronized with the calendar's room. If not, then it is automatically created, and it is created on the attached Google calendar as well. When a room is removed, it can be removed from the admin only, or from the calendar and from the admin.

Room management when Microsoft365, Exchange or Google Workspace calendars are attached:


- ☐ When there are previously defined rooms, and Microsoft365, Exchange or Google Workspace calendar is attached, the previously defined rooms are removed, and the online calendar's rooms are synchronized and created in the admin application.

Edit room's properties:

- ☐ Room's name: A room's name can be edited only when local or Google calendar is attached. The name of the imported rooms cannot be edited in the Tigermeeting admin application, (Microsoft365, Exchange, Google Workspace) only through the online calendar's admin panel.
- ☐ Capacity: Parameter is fetched from Microsoft365, Exchange or Google
- ☐ Workspace. Room info: Parameter can be edited in all calendars.
- ☐ Display name: Parameter can be edited when local, Microsoft365, Exchange, Google calendar, is attached.

1 Add new room:

- 1 Close: Close the 'Add room' popup window.
- 2 Name of the room: Name of the new room.
- 3 Create: Create a new room. Rooms with the same names are not allowed.




7 Edit room properties:

- 1 Name of the room: Name of the selected room.
- 2 Edit name: Room's name can be edited. The room's name can be edited only when Local or the Google calendar is attached. The name of the imported rooms cannot be edited in the Tigermeeting admin application, (Microsoft365, Exchange, Google Workspace) only in the online calendar's admin panel.
- 3 Capacity: Capacity of the selected room.
- 4 Info: Room info is displayed under the room's name.
- 5 Display name: Alias is used, and it is displayed as room's name. When it is not added the room's original name is used instead.
- 6 Time: Device is available between the set time. (for example, between 06:00 and 17:00)
- 7 Days: Checked days are available and reservations can be booked from a device. (for example, on workdays reservations are available, on Saturday and Sunday the room is closed, and no reservations can be made)
- 8 Close: Cancel and close room properties.
- 9 Save settings: Save room properties. After it is saved, it must be synchronized with the other devices.

The screenshot shows a 'ROOM PROPERTIES' form with the following elements and callouts:


- 1**: Points to the room name 'Green meeting room'.
- 2**: Points to the edit icon (pencil) next to the room name.
- 3**: Points to the 'CAPACITY' field, which is set to 20.
- 4**: Points to the 'INFO' field, which is set to 'Floor 1'.
- 5**: Points to the 'DISPLAY NAME' field, which is set to 'Not set'.
- 6**: Points to the 'Time' section, which includes a time range selector (06:00 to 17:00) and a 'WEEKDAYS' checkbox.
- 7**: Points to the 'Days' section, which includes checkboxes for 'WEEKDAYS', 'SATURDAY', and 'SUNDAY'.
- 8**: Points to the 'Close' button.
- 9**: Points to the 'Save settings' button.

On android device:



Admin users tab

All users of the Tigermeeting admin application are listed here.



Admin users tab:

- 1 Create user: Create a new admin user.
- 2 Number of admins: The number of admins displayed per page.
- 3 List of admins: Admin parameters are displayed. (the active admin user is marked as "(me)")
- 4 Action:
 - ☐ Edit: Edit current admin user's parameters.
 - ☐ Remove: Remove selected admin user from the Tigermeeting admin application.
- 5 Paging: If there are more admins, they are displayed on other pages.
- 6 Total number of admins: Total number of admins in the application.

- 1 Create new admin user: When a new user is created, a registration email is sent to the provided email address, with the user password. Make sure that the activation email is not in the spam folder.

- 1 First name: First name of the admin user.
- 2 Last name: Last name of the admin user.
- 3 Email: Email address of the admin user.
- 4 Cancel: Cancel action.
- 5 Create: Create the user and send the activation email.

The diagram shows a 'Create user' dialog box with a close button (X) in the top right corner. Inside the dialog, there are three input fields: 'First Name...', 'Last Name...', and 'Email...'. Each field has a corresponding icon (person, person, and envelope respectively). Below these fields are two buttons: 'CANCEL' and 'CREATE'. Red dashed lines with numbered callouts point to the following elements:

- 1: Points to the 'First Name...' input field.
- 2: Points to the 'Last Name...' input field.
- 3: Points to the 'Email...' input field.
- 4: Points to the 'CANCEL' button.
- 5: Points to the 'CREATE' button.

- 4 Edit current admin user:

- 1 First name: First name of the admin user.
- 2 Last name: Last name of the admin user.
- 3 Email: Email address of the admin user.
- 4 Password change:
 - ☐ Old password: Without the old password, a new password cannot be created.
 - ☐ New password: New password must contain minimum 8
 - ☐ characters. Confirm new password: New password and confirm password must be exactly the same.
- 5 Close: Close the user properties section.
- 6 Save changes: Save current admin user's parameters.

USER PROPERTIES

Admin User

FIRST NAME Admin

LAST NAME User

EMAIL admin@mail.com

PASSWORD CHANGE

OLD PASSWORD

NEW PASSWORD

CONFIRM NEW PASSWORD

Close **Save changes**

Analytics tab

The collected data is used to present useful and valuable information about the usage of the meeting rooms, company culture and event analytics.

Settings

LICENSES CALENDARS ROOMS ADMIN USERS **ANALYTICS**

1 Allow event log collection ☒ On

Collected event logs are treated confidentially and strictly follow the Privacy Policy. Events are sent by the Tiger applications when the event log feature is turned ON and the devices are operational during the event - that means:

- Not all events are necessarily logged
- Events may be missing and there could be holes in the event timeline
- Events may have strange order - like calendar events without beginning or end
- Events could appear to be longer or shorter than they actually were, depending of the events timeline, network or technical disturbances or the from/to interval

Therefore, the presented information is created in hope to be useful but BE AWARE that:

- the information may not be accurate
- the information may not represent the real life events flow
- the occupancy calculations may be wrong
- the presented information may lead to misleading conclusions

Admin users are able to turn ON/OFF the event log feature in the Tiger Admin App. The default setting is ON. On explicit request, all accumulated event logs can be requested or permanently deleted - complying with the GDPR, CCPA, LGPD and POPI regulations. Tiger licences are perpetual, but the event logs are not kept indefinitely. The older logs are permanently erased after the pre-defined expiration time, according to the Privacy Policy. In case of any query, please do not hesitate to contact the Tigermeeting Customer Service at support@tigermeeting.app

Analytics tab:

- 1 Admin users are able to turn ON/OFF the event log feature in the Tigermeeting Admin App. The default setting is ON.

Collected event logs are treated confidentially and strictly follow the Privacy Policy. Events are sent by the Tigermeeting applications when the event log feature is turned ON and the devices are operational during the event - that means:

- ☐ Not all events are necessarily logged.
- ☐ Events may be missing and there could be holes in the event timeline.
- ☐ Events may have strange order - like calendar events without beginning or end
- ☐ Events could appear to be longer or shorter than they actually were, depending on the events timeline, network or technical disturbances or the from/to interval.

Therefore, the presented information is created in hope to be useful but BE AWARE that:

- ☐ the information may not be accurate.
- ☐ the information may not represent the real-life
- ☐ events flow the occupancy calculations may be wrong.
- ☐ the presented information may lead to misleading conclusions.

Admin users are able to turn ON/OFF the event log feature in the Tigermeeting Admin App. The default setting is ON. On explicit request, all accumulated event logs can be requested or permanently deleted - complying with the GDPR, CCPA, LGPD and POPI regulations.


Tigermeeting licences are perpetual, but the event logs are not kept indefinitely. The older logs are permanently erased after the pre-defined expiration time, according to the Privacy Policy. In case of any query, please do not hesitate to contact the Tigermeeting Customer Service at: support@tigermeeting.app

Analytics

Analytics can be generated for booking, overview devices, admin and company between the given date range.

Settings:


- 1 Device list: Analytics will be generated for the selected device. Booking and overview devices, admin application and company.
Company analytics will include all data from all booking screen devices that the company has.
- 2 Reload analytics: Reload analytics data to the selected
- 3 device. Date pickers: Analytics will be generated between
- 4 the set dates. Event analytics date range.
- 5 Device info. (type, identification, platform,
- 6 etc.) Data of the analytics are represented in charts.



3 Date pickers:

- 1 Year and month pickers.
- 2 First, the start date must be selected.
- 3 Second, the stop date must be selected.

To set date range across months use the Year and month pickers.



6 Charts:

1 Chart options:


Chart data can be printed (Print chart), or downloaded (download PNG, JPEG, PDF, SVG image, or data as CSV, XLS). Data can be displayed in table view (view data table).

- 2 Events (in case of booking device, boot, meeting booked, meeting confirmed, meeting started, meeting ended, etc.) are displayed in the event timeline. The chart is zoomable, by clicking and dragging a selectable area. The Timeline chart and table data contains max 300 events. Other charts do not have this limitation.

- 3 When hovered above the event, the event details are displayed.

- 4 Event timeline chart filter.

- 5 Event timeline filter. (chart zoom can be changed here)



Charts and data visualization can be changed by later releases.

Admin logs

Every event that has been executed into the Tigermeeting admin application is displayed in the event list. Events like admin user login, logout, Device settings update, software update, license attachment, detachment, device reboot, etc. are listed.

Admin log:

- 1 List of events, causes, date and time.
- 2 Total number of events.
- 3 Paging: Page through the events.


The screenshot shows the 'Admin Logs' page in the Tigermeeting admin application. The interface includes a sidebar with navigation icons, a main content area with a table of logs, and a footer with an 'About' link. Three red dashed boxes with numbered callouts highlight specific features:

- 1** Points to the table of events, which has columns for USER, EVENT, and TIME. The table contains three rows of log entries.
- 2** Points to the '11 total' text at the bottom left of the table, indicating the total number of events.
- 3** Points to the pagination controls at the bottom right, which include navigation arrows and page numbers (1, 2).

USER	EVENT	TIME
user@mail.com (me)	Device settings update	2020-12-01 11:14:59
user@mail.com (me)	Device settings update	2020-12-01 11:14:45
user@mail.com (me)	Login	2020-12-01 11:11:43

Wizard

Generally, it is used when the Tigermeeting admin application is started for the first time. The user is guided by a step-by-step wizard.




Wizard:

- 1 Overview tab: Basic overview of the devices.
- 2 Licenses tab: Available licenses to distribute among the
- 3 devices. Calendars tab: Online calendars to attach the admin
- 4 application. Rooms tab: Available rooms to attach to devices.

Overview

Basic overview of the available devices.




Overview:

- 1 Add device: Add device with IP address not discovered by the Tigermeeting admin application. It is used when a device is in another subnetwork.
- 2 Next: Takes the user to the next setting, 'Licenses'.
- 3 List of devices: Available devices are displayed for attachment.

Licenses

Licenses can be distributed among the devices. For more details check section Settings, Licensestab.




Licenses:

- 1 Previous: Go to previous setting, 'Overview'.
- 2 Next: Go to the next setting, 'Calendars'.
- 3 List of licenses: List of available licenses.
- 4 Distribute licenses: Distribute licenses to the available devices.

Calendars

Calendars can be attached to the admin application. For more details check the section Settings, Calendars tab.



Online calendars:


- 1 Previous: Go to previous setting, 'Licenses'.
- 2 Next: Go to the next setting, 'Rooms'.
- 3 List of calendars: List of attachable calendars. (Microsoft365, Exchange, Google, Google Workspace)

Additional calendars:

- ☐ iCalendar - a file in iCal file format is exposed via an URL for each room - no authentication is needed.
- ☐ Local Calendar - a default calendar where the booking screens exchange bookings between each other.

Rooms

Rooms can be attached to the devices. For more details check the section Settings, Rooms tab.



Rooms:

- 1 Previous: Go to previous setting, 'Calendars'.
- 2 Finish: Finish the wizard (attach licenses, attach calendars, create, and attach rooms to devices) and synchronize the settings with the devices.
- 3 List of devices: List of devices.
- 4 Rooms:
 - ☐ No calendar or Google calendar attached: Room name can be added and when the wizard is finished the room is created. (on google calendar as well)
 - ☐ Microsoft365, Exchange, Google Workspace calendars attached: Imported rooms can be selected from a dropdown.

Practical use cases

Install the admin application

- ☐ Go to 'https://tigermeeting.app/en/downloads' and download the latest Tigermeeting admin application for the desired operating system.
- ☐ Run the Tigermeeting admin installer.
- ☐ Select 'Anyone who uses this computer (all users)'. Click the 'Next' button.
- ☐ Choose the destination folder.
 - ☐ By default, it is: 'C:/Program Files/Tigermeetingroom'.
- ☐ Click the 'Install' button.
- ☐ When the installation is finished, uncheck the 'Run Tigermeetingroom' checkbox and click the 'Finish' button.

Turn on the devices

- ☐ Turn on the Android device.
- ☐ Install the Tigermeeting android application.
- ☐ Search for the Tiger android application among the apps.
- Run the Tiger application.
- Turn on the “Draw over other apps” permission.

Start the admin application

- ☐ Run the admin application.
- ☐ Register a new user by selecting the 'register' tab. Fill in the required user information.
 - ☐ The company code will determine the number and type of usable licenses.
- ☐ Finish the registration.
- ☐ Log in to the Tigermeeting admin application. For the first time setup, press the 'Yes' button.

Run wizard in admin application


- ☐ Make sure that all the android applications and firmware are up to date.
- ☐ Wait for the admin application to discover all devices.
- ☐ When all devices are discovered press the 'Next' button to licenses.
- ☐ Distribute licenses to the devices.
- ☐ Press the 'Next' button to calendars.
- ☐ Attach the desired calendar to the admin application.
- ☐ Press the 'Next' button to rooms.
- ☐ Attach rooms to the selected devices.
- ☐ Finish the wizard by pressing the 'Finish' button.
- ☐ After the synchronization all devices should be configured.

Configuring Microsoft365 calendar


To use Microsoft365 calendar in the Tigermeeting admin application, it requires previous configuration. Rooms must be created via Microsoft365 admin panel and room groups and permissions via Windows PowerShell. To accomplish this, follow these steps:

Microsoft365 admin panel

- ☐ Go to "https://www.office.com".
- 1** Press the "Sign in" button.
 - 1** Enter username and password.
 - ☐ Username: admin@company.onmicrosoft.com
 - ☐ Password: *****




2 Select the admin center.



All room resources are listed here, and these resources can be added to the room group later, if there are no rooms defined, they can be added or edited here.

After selecting the admin center:

- 2 Select "Resources" menu.
- 3 Select "Rooms & equipment" submenu.
- 4 Create new room resources with the "+ Add" button.



5 Add room parameters:

- ☐ Type must be "Room".
- ☐ Add the room's name (for example: "greenroom")
- ☐ Email (for example: "greenroom")
- ☐ Capacity (how many seats are in the meeting room)
- ☐ Location
- ☐ Phone number

Room's name, and email parameters are mandatory.

If more rooms are required repeat 4 and 5

Configuration through Windows PowerShell


There are two ways to configure Microsoft Microsoft365 calendar:

- ☐ Through script:
 - ☐ This script must be executed in Windows Power Shell:
 - ☐ Download the setup script through the Tigermeeting admin application.
- ☐ Or manually:
 - ☐ To configure the Microsoft365 calendar, follow the steps under "Manual configuration".


Configuration by using the Microsoft 365 setup helper script


Follow these steps:

- 1 Download the setup script through the admin application. In the downloaded file, scripts are for Microsoft365 and Exchange configuration, used on Linux, Mac, and Windows operating systems.
- 2 Extract downloaded file. (In this example Microsoft365 script will be used for Windows operating system)



- 3 Run the Windows PowerShell in admin mode.
- 4 Inside the Windows PowerShell, navigate to the extracted script file.





```

Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.


PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script>

```

4

Use the following commands:

- ☐ Change execution policy to run script:
 - ☐ Set-ExecutionPolicy Unrestricted -Scope CurrentUser When asked to change policy type, type "Y" and press enter.
- ☐ Set process "Bypass" policy:
 - ☐ Set-ExecutionPolicy -Scope Process -ExecutionPolicy Bypass When asked to change policy type, type "Y" and press enter.
- ☐ Display execution policy list: Get-ExecutionPolicy -List



```

Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> cd D:
PS D:\> cd .\Script
PS D:\Script> Set-ExecutionPolicy Unrestricted -Scope CurrentUser

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic. Do you want to change the execution
policy?
[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): Y
PS D:\Script> Set-ExecutionPolicy -Scope Process -ExecutionPolicy Bypass

Execution Policy Change
The execution policy helps protect you from scripts that you do not trust. Changing the execution policy might expose
you to the security risks described in the about_Execution_Policies help topic. Do you want to change the execution
policy?
[Y] Yes [N] No [S] Suspend [?] Help (default is "Y"): Y
PS D:\Script> Get-ExecutionPolicy -List


Scope                                     ExecutionPolicy
-----
MachinePolicy                           Undefined
UserPolicy                             Undefined
Process                                 Bypass
CurrentUser                             Unrestricted
LocalMachine                           RemoteSigned

PS D:\Script>

```

Running the script


- ☐ Read the README.md file. Review the code and run the script:
 - ☐ ./tigermeeting_microsoft365.ps1



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script> .\office365Windows.ps1
Office365 Tigermeeting config script
Please enter your admin user email address: _
```


- ☐ Enter admin user email address: Enter admin's email address. It is IMPORTANT that the office365 admin user's email is used. In this example "admin@company.onmicrosoft.com" is used.



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script> .\office365Windows.ps1
Office365 Tigermeeting config script
Please enter your admin user email address: admin@company.onmicrosoft.com
Please enter the RoomList identity you would like to use <use existing or create new> Example Tigermeeting:
```

- ☐ Enter room list name: Room list will be attached in the Tigermeeting admin application. In the next step, rooms will be created and attached to the room list. In this example create a new room list "cafe".



```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script> .\office365Windows.ps1
Office365 Tigermeeting config script
Please enter your admin user email address: admin@manufakturaltd.onmicrosoft.com
Please enter the RoomList identity you would like to use <use existing or create new> Example Tigermeeting: cafe
Add room to the room list <enter the room's mailbox address>? To finish adding type: end: _
```


- ☐ Enter room email addresses: For this example, enter 2 room email address:
 - ☐ "greenroom@company.onmicrosoft.com" and press enter. Created in step (,)
 - ☐ "redroom@company.onmicrosoft.com" and press enter. Created in (, 5) step (
 - ☐ "end" and press enter. (now the room list is ready)

```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script> .\Office365Windows.ps1
Office365 Tigermeeting config script
Please enter your admin user email address: admin@manufakturaltd.onmicrosoft.com
Please enter the RoomList identity you would like to use (use existing or create new) Example Tigermeeting: cafe
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: greenroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: redroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: end
```

```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

PS C:\Windows\system32> D:
PS D:\> cd .\Script
PS D:\Script> .\Office365Windows.ps1
Office365 Tigermeeting config script
Please enter your admin user email address: admin@company.onmicrosof
Please enter the RoomList identity you would like to use (use existing or create new) Example Tigermeeting: cafe
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: greenroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: redroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: end
Set-ExecutionPolicy : Windows PowerShell updated your execution policy successfully, but the setting is overridden by a
policy defined at a more specific scope. Due to the override, your shell will retain its current effective execution
policy of "Bypass". Type "Get-ExecutionPolicy -List" to view your execution policy settings. For more information, please
see "Get-Help Set-ExecutionPolicy."
At D:\Script\Office365Windows.ps1:18 char:20
* Set-ExecutionPolicy <<<< RemoteSigned
+ ~~~~~
+ CategoryInfo          : PermissionDenied ( (Set-ExecutionPolicy) SecurityException
+ FullyQualifiedErrorId : ExecutionPolicyOverride,Microsoft.PowerShell.Commands.SetExecutionPolicyCommand

cmdlet Get-Credential at command pipeline position 1
Supply values for the following parameters:
Credential
```

- ☐ If an error occurs that is because of the execution policy. Enter your office365 admin email address and password and press the "ok" button.


```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) 2009 Microsoft Corporation. All rights reserved.

Creating implicit remoting module ...
Getting formatting & output information from remote session ... 97 objects received
1
00:00:07 remaining.

Please enter the RoomList identity you would like to use (use existing or create new) Example Tigermeeting: cafe
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: greenroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: redroom@company.onmicrosoft.com
Add room to the room list (enter the room's mailbox address)? To finish adding type: end: end
Set-ExecutionPolicy : Windows PowerShell updated your execution policy successfully, but the setting is overridden by a
policy defined at a more specific scope. Due to the override, your shell will retain its current effective execution
policy of "Bypass". Type "Get-ExecutionPolicy -List" to view your execution policy settings. For more information, please
see "Get-Help Set-ExecutionPolicy."
At D:\Script\Office365Windows.ps1:18 char:20
* Set-ExecutionPolicy <<<< RemoteSigned
+ ~~~~~
+ CategoryInfo          : PermissionDenied ( (Set-ExecutionPolicy) SecurityException
+ FullyQualifiedErrorId : ExecutionPolicyOverride,Microsoft.PowerShell.Commands.SetExecutionPolicyCommand

cmdlet Get-Credential at command pipeline position 1
Supply values for the following parameters:
Credential
```


- ☐ The roomlist is processed.



- ☐ At the end the "Completed" text is displayed. (full text is not included in the last screenshot.)

Manual configuration

Now run Windows PowerShell as Administrator:



Use the following commands:

- 6 It is required that all PowerShell scripts are signed by a trusted publisher: Set-ExecutionPolicy RemoteSigned
- 7 Connect to Microsoft 365 calendar:
 - ☐ \$UserCredential = Get-Credential
 - ☐ It is recommended to use the Microsoft 365 account which you plan to use for authenticating within the tiger admin application.
 - ☐ \$Session = New-PSSession -ConfigurationName Microsoft.Exchange -ConnectionUri https://outlook.office365.com/powershell-liveid -Credential \$UserCredential -Authentication Basic -AllowRedirection Import-PSSession \$Session
- ☐ IMPORTANT: If no room lists are defined then define one first, otherwise

continue with step . You will get "no room resources defined" message in the Tigermeeting admin application if there are no room lists defined.

8 Create new room group:

☐ New-DistributionGroup -Name testlist -DisplayName "testlist" –RoomList

9 Add room resource to the room group:

☐ Add-DistributionGroupMember –Identity testlist -Member greenroom@company.onmicrosoft.com

☐ If there are more room resources to add to the room group, repeat step **9** .

10 Add permission for user (admin@company.onmicrosoft.com) to book meeting on room resource: (It is important to use the account set after "-User" parameter for Tigermeeting admin Microsoft365 authentication)

☐ Add-MailboxPermission -Identity greenroom@company.onmicrosoft.com -User admin@company.onmicrosoft.com -AccessRights FullAccess -InheritanceType All

☐ If there are more room resources to add to the room group, repeat step **10** .

11 If the resource mailbox's calendar shows the organizer's name instead of the subject, run this command for each room resource:

Set-CalendarProcessing -Identity greenroom@company.onmicrosoft.com -AddOrganizerToSubject \$false -DeleteSubject \$false -DeleteComments \$false -RemovePrivateProperty \$false

☐ Step **11** is required for all room resources. Repeat step **11** with different room resource identity.

12 Disconnect from PowerShell session: Remove-PSSession \$Session

In this example "testlist" room group is created under the name of "testlist" (this name will appear in the Tigermeeting admin application after the calendar attachment when selecting the group of rooms (room lists)). The room group contains one room "greenroom@company.onmicrosoft.com". Now the Microsoft365 calendar is configured and ready to use in the Tigermeeting admin application.

Instructional video:

<https://www.youtube.com/watch?v=tzfgVGXUHV0>

Tigermeeting admin application

14 Attach Microsoft365 calendar with the following user parameters:

- ☐ Username: admin@company.onmicrosoft.com
- ☐ Password: *****

The screenshot shows the 'Settings' page of the Tigermeeting admin application. The 'CALENDARS' tab is selected. The main content area displays the 'Office 365' logo and a form for attaching a calendar. The form includes fields for 'Username' (pre-filled with 'admin@company.onmicrosoft.com') and 'Password' (pre-filled with '*****'). A red dashed box highlights these fields, and a red circle with the number 14 points to it. Below the form are 'CANCEL' and 'SUBMIT' buttons.

The screenshot shows the 'Settings' page of the Tigermeeting admin application. The 'CALENDARS' tab is selected. The main content area displays the 'Office 365' logo and a form for attaching a calendar. The form includes a section titled 'Select group of rooms to import' with a radio button labeled 'TESTLIST'. A red dashed box highlights this radio button, and a red circle with the number 13 points to it. Below the form are 'CANCEL' and 'IMPORT ROOMS' buttons.

Configuring Exchange calendar


To use Exchange calendar in the Tigermeeting admin application, it requires previous configuration. Rooms must be created via Exchange admin panel and room groups and permissions via the Exchange Management Shell. To accomplish this, follow these steps:

Exchange admin panel

Go to a "https://exchange/ecp".


- 1 Enter username and password.

Username: admin
 Password: *****




After the login:

- 2 Select recipients, resources tab. (All room resources are listed here, and these resources can be added to the room group later, if there are no rooms defined, they can be added or edited here.)



- 3 Press the New (Plus) icon, and from the dropdown list select "Room mailbox".



- 4 Add room's parameters:

- ☐ Add the room's name (for example: "redroom")
- ☐ Alias (also called mail nickname) (for example: "redroom")
- ☐ Location
- ☐ Phone
- ☐ Capacity (how many seats are in the meeting room)

Room's name, and alias parameters are mandatory.

new room mailbox

A room mailbox is a resource mailbox that's assigned to a physical location. Users can easily reserve rooms by including room mailboxes in meeting requests. Just select the room mailbox from the list and edit properties, such as booking requests or mailbox delegation. [Learn more](#)

*Room name:

*Alias:

Organizational unit:

Location:

Phone:

Capacity:

[More options...](#)

If more rooms are required repeat 3 and 4

Configuration through Exchange Management Shell


There are two ways to configure Microsoft Exchange

- ☐ calendar: Through script:
 - ☐ This script must be executed in Windows Exchange management Shell: Download the setup script through the Tigermeeting admin application.
- ☐ Or manually:
 - ☐ To configure the Microsoft Exchange calendar, follow the steps under "Manual configuration".



Configuration with the script

Follow these steps:

- 1 Download the setup script through the admin application. In the downloaded file, scripts are for Microsoft365 and Exchange configuration, for Linux, Mac, and Windows operating systems.
- 2 Extract downloaded file. (In this example Exchange script will be used for Windows operating system)




- 3 Run the Exchange management shell.
- 4 Inside the Exchange management shell, navigate to the extracted script file.



Running the script

- ☐ Read the README.md file, review the code and run the script:
- ☐ `./tigermeeting_microsoft365.ps1`



- ☐ Enter admin user email address: Enter admin's email address. It is IMPORTANT that the exchange admin user's email is used. In this example "administrator@company.local" is used.

```

Machine: MSEX.tiger.local

Welcome to the Exchange Management Shell!

Full list of cmdlets: Get-Command
Only Exchange cmdlets: Get-ExCommand
Cmdlets that match a specific string: Help *(string)*
Get general help: Help
Get help for a cmdlet: Help <cmdlet name> or <cmdlet name> -?
Exchange team blog: Get-ExBlog
Show full output for a command: <command> ! Format-List

Show quick reference guide: QuickRef
VERBOSE: Connecting to MSEX.company.local.
VERBOSE: Connected to MSEX.company.local.
[PS] C:\Windows\system32>D:
[PS] D:\>cd .\Script
[PS] D:\Script> .\exchangeWindows.ps1
Exchange Tigermeeting config script
Please enter your admin user email address: administrator@company.local
Please enter the RoomList identity you would like to use (use existing or create new) (Example: Tigermeeting): _
  
```

- ☐ Enter room list name: Room list will be attached in the Tigermeeting admin application. In the next step, rooms will be created and attached to the room list. In this example create a new room list "cafe".

```

Machine: MSEX.tiger.local

Welcome to the Exchange Management Shell!

Full list of cmdlets: Get-Command
Only Exchange cmdlets: Get-ExCommand
Cmdlets that match a specific string: Help *(string)*
Get general help: Help
Get help for a cmdlet: Help <cmdlet name> or <cmdlet name> -?
Exchange team blog: Get-ExBlog
Show full output for a command: <command> ! Format-List

Show quick reference guide: QuickRef
VERBOSE: Connecting to MSEX.company.local.
VERBOSE: Connected to MSEX.company.local.
[PS] C:\Windows\system32>D:
[PS] D:\>cd .\Script
[PS] D:\Script> .\exchangeWindows.ps1
Exchange Tigermeeting config script
Please enter your admin user email address: administrator@company.local
Please enter the RoomList identity you would like to use (use existing or create new) (Example: Tigermeeting): cafe
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end:
  
```

- ☐ Enter room email addresses: For this example, enter 2 room email address:
 - ☐ "greenroom@company.local" and press enter. Created in step (,)
 - ☐ "redroom@company.local" and press enter. Created in (, 5)
 - step (
 - ☐ "end" and press enter. (now the room list is ready)

```

Machine: MSEX.tiger.local

Welcome to the Exchange Management Shell!

Full list of cmdlets: Get-Command
Only Exchange cmdlets: Get-ExCommand
Cmdlets that match a specific string: Help *(string)*
Get general help: Help
Get help for a cmdlet: Help <cmdlet name> or <cmdlet name> -?
Exchange team blog: Get-ExBlog
Show full output for a command: <command> ! Format-List

Show quick reference guide: QuickRef
VERBOSE: Connecting to MSEX.company.local.
VERBOSE: Connected to MSEX.company.local.
[PS] C:\Windows\system32>D:
[PS] D:\>cd .\Script
[PS] D:\Script> .\exchangeWindows.ps1
Exchange Tigermeeting config script
Please enter your admin user email address: administrator@company.local
Please enter the RoomList identity you would like to use (use existing or create new) (Example: Tigermeeting): cafe
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: greenroom@company.local
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: redroom@company.local
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: end_
  
```

- ☐ At the end the "Completed" text is displayed. (full text is not included in the last screenshot.)

```

Machine: MSEX.tiger.local

Welcome to the Exchange Management Shell!

Full list of cmdlets: Get-Command
Only Exchange cmdlets: Get-ExCommand
Cmdlets that match a specific string: Help *(<string>)*
Get general help: Help
Get help for a cmdlet: Help <cmdlet name> or <cmdlet name> -?
Exchange team blog: Get-ExBlog
Show full output for a command: <command> ! Format-List

Show quick reference guide: QuickRef
VERBOSE: Connecting to MSEX.company.local.
VERBOSE: Connected to MSEX.company.local.
PS C:\Windows\system32> cd .\Script
PS D:\Script> .\exchangeWindows.ps1
Exchange Tigermeeting config script
Please enter your admin user email address: administrator@company.local
Please enter the RoomList identity you would like to use (use existing or create new) (Example: Tigermeeting): cafe
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: greenroom@company.local
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: redroom@company.local
Add room to the room list (enter the room's mailbox address)? To finish adding, type: end: end

Name                DisplayName          GroupType            PrimarySntpAddress
----                -
cafe                 cafe                 Universal            cafe@company.local
WARNING: The appropriate access control entry is already present on the object "CN=green
room,CN=Users,DC=tiger,DC=local" for account "TIGER\Administrator".
RunspaceId          : 0e940bd2-e19c-4289-baee-a11223d05bb2
AccessRights         : <FullAccess>
Deny                 : False
InheritanceType      : All
User                 : TIGER\Administrator
Identity             : company.local/Users/greenroom
IsInherited          : False
IsValid              : True
ObjectState          : Unchanged
WARNING: The appropriate access control entry is already present on the object "CN=redroom,CN=Users,DC=tiger,DC=local"
for account "TIGER\Administrator".
RunspaceId          : 0e940bd2-e19c-4289-baee-a11223d05bb2
AccessRights         : <FullAccess>
Deny                 : False
InheritanceType      : All
User                 : TIGER\Administrator
Identity             : company.local/Users/redroom
IsInherited          : False
IsValid              : True
ObjectState          : Unchanged


Completed!

```

Manual configuration

Now open rdb client and connect to the exchange server. When the connection is successful, open the Exchange Management Shell. Windows PowerShell is also available for remote configuration. For more information visit:

<https://docs.microsoft.com/en-us/powershell/exchange/exchange-online/connect-to-exchange-online-powershell/connect-to-exchange-online-powershell?view=exchange-ps>



Use the following commands:

- ☐ IMPORTANT: If no room lists are defined then define one first, otherwise continue with step **7**. You will get "no room resources defined" message in the Tigermeeting admin application if there are no room lists defined.
- 5** Create new room group:
 - ☐ New-DistributionGroup -Name DistributionGroup -DisplayName "Meeting Rooms" -RoomList
- 6** Add room resource to the room group:
 - ☐ Add-DistributionGroupMember -Identity DistributionGroup -Member redroom@tiger.local
 - ☐ If there are more room resources to add to the room group, repeat step **6**.
- 7** Add permission for user (admin@mail.local) to book meeting on room resource: (It is important to use the account set after "-User" parameter for Tigermeeting admin Exchange authentication)
 - ☐ Add-MailboxPermission -Identity redroom@tiger.local -User admin@mail.local -AccessRights FullAccess -InheritanceType All -Automapping \$false
 - ☐ If there are more room resources to add to the room group, repeat step **7**.
- 8** If the resource mailbox's calendar shows the organizer's name instead of the subject, run this command for each room resource:
 - ☐ Set-CalendarProcessing -Identity redroom@tiger.local -DeleteSubject \$False -AddOrganizerToSubject \$False
 - ☐ Step **8** is required for all room resources. Repeat step **8** with different room resource identity.

9 Private meetings are visible if the Private Flag is not processed: Set-

- ☐ CalendarProcessing -Identity redroom@tiger.local
-RemovePrivateProperty \$False

- ☐ To change more rooms private meeting flag repeat step **9** with different room resource, identify.

10 Enable correct meeting title and author on device:

- ☐ Set-CalendarProcessing -Identity redroom@tiger.local -DeleteComments \$False

- ☐ To change display of title and author for different rooms repeat step **10** with different room resource identify.

In this example "DistributinGroup" room group is created under the name of "Meeting Rooms" (this name will appear in the Tigermeeting admin application after the calendar attachment when selecting the group of rooms (room lists)). The room group contains one room "redroom@tiger.local". Now the Exchange calendar is configured and ready to use in the Tigermeeting admin application.

Tigermeeting admin application


12 Attach exchange calendar with the following user parameters:

- ☐ username: admin@mail.local (use full email address)
- ☐ Password: *****
- ☐ Host: https://exchange.url.local (If the server uses 'http' or 'https' protocol then use it)
- ☐ Server version: Exchange 2016 (It is important to set the currently used server version and the server needs to have NTLM enabled)

The screenshot shows the Tigermeeting admin application interface. At the top, there's a 'Settings' tab with sub-tabs: 'LICENSES', 'CALENDARS', 'ROOMS', and 'ADMIN USERS'. The 'CALENDARS' sub-tab is active. Below the tabs, there's a large white area with the Microsoft Exchange logo. A modal form is overlaid on this area, containing the following fields:

- Username: admin@mail.local
- Password: *****
- Host: https://exchange.url.local
- Server version: Exchange 2016

At the bottom of the modal, there are two buttons: 'CANCEL' and 'SUBMIT'. A red dashed box surrounds the modal form, and a red circle with the number '12' points to it, indicating the step for attaching the Exchange calendar.




Configuring iCalendar calendar


It is a simple and convenient way to expose pre-generated iCal files in a format that complies to the RFC 5545 specification via an ordinary web server. This is a very efficient and cost-effective way of distributing a huge number of relatively static calendars that suit well for school and university operations' use case.

iCalendar files are most often created by one of the widely available iCalendar generator programs. Tigermeeting's flexible design allows replacing and updating the iCal files. As long as the URL pointing to the file does not change, the room configuration does not need to be updated.


This feature opens a new era in cost effective meeting room management for all those customers who cannot appreciate or are not willing to pay high costs for a commercial online calendar service (like Google's or Microsoft's)




Choose iCalendar and synchronize the changes.



In the Network menu choose a device and edit the properties



a)



-->b)


a) Create a new room by entering the name of the room.

b) It is possible to enter a URL pointing to an iCal file that provides calendar events for this room. Please test the URL validity and accessibility by pressing the TEST URL button.


NOTE: the max size of the iCal file is 10Mb, however the iCal file can change – the Tigermeeting booking and Overview screens will work well following the new file content as long the configured URL is reachable.



Synchrononize the changes to deploy the configuration to the devices



Test the configuration by changing the device's screenshot (or the device screen if it is nearby)




Theme configuration

Tigermeeting suite allows customers to change the booking-screen's home screen layout by changing the theme, the background image and the company logo - making the devices' appearance personal and branded.

There are different themes to choose from - the default theme and many others, inspired by Tigermeeting's excellent designers and customer ideas around the world.

New themes are added continuously and dynamically - on demand or when new design ideas arise - without any need for software upgrade. Themes' templates are stored in the Tigermeeting Cloud – therefore this operation requires access to the <https://tigermeeting.app> URL.

On request - bespoke themes can be crafted and enabled for the dedicated customers. Please, ask the Tigermeeting support for more information.



Contact information

Email: info@tigermeeting.app

Web: <https://tigermeeting.app/en/contact>

Customer Support: support@tigermeeting.app

More information can be obtained by clicking on the “About” menu point in the Admin Application.



TIGERMEETING ADMIN VERSION: 3.3.3

Tigermeeting AB

A Swedish company, that brings high-end meeting management and calendar products to affordable level.
Please, take contact with us for any inquiry.

Address: Edbovägen 47, 142 63 Stockholm, Sweden

info@tigermeeting.app | support@tigermeeting.app

[Release Notes](#) [Terms of Service](#)
[Customer Support](#) [Privacy Policy](#)
[Open Source Licenses](#) [Cookie Policy](#)

Let us shine up your meeting rooms.
Global presence with Scandinavian quality.

Social media

Follow us on social media to get event updates and product news above the regular release newsletter.

Facebook <https://facebook.com/tigermeeting/>

Twitter <https://twitter.com/tigermeeting>

Instagram <https://instagram.com/tigermeeting>

Pinterest <https://www.pinterest.com/tigermeetingroom/>

LinkedIn <https://linkedin.com/company/tigermeeting/>

Github <https://github.com/tigermeeting>

Youtube <https://www.youtube.com/channel/UCMFWeyMITtSTfxtoZ8nCrBg>